

Blue Diamond Dental Laboratory 4 Frank Leary Way, Unit 2

Rx Date :
Date Due in Office :
Date Due III Office.

BlueDiamond DENTAL LABORATORY	Randolph, MA 02368 Tel: 508.316.6222	Date Due in Office :			
	161 . 300.310.0222				
Doctor's Name	(Please Print)	(Deliver By 5PM)			
Doctor's Address					
Patient's Name		$\frac{\boxed{ M \ \ \ \ }}{\text{Sex}} \frac{\text{F}}{\text{Age}}$			
FIXED RESTORATIONS (Please ☑)					
PFM	Full Cast Metal	All Ceramic			
☐ Non-Precious ☐ Semi-Precious ☐ High Noble	☐ Full Cast Yellow Gold ☐ Full Cast White Gold ☐ Full Cast Non-Precious ☐ Full Cast Semi-Precious	☐ E.max Pressed ☐ Zirconia ☐ Full Contour Zirconia ☐ Veneer			
Anteriors	Posteriors	Lingual / Buccal Margin			
Metal Coping	Metal Coping All porcelain coverage	(Circle One) Metal Margin Hairline or mm			
Metal Lingual	Metal Occlusal Excluding buccal cusp	Porcelain Butt Margin			
3/4 Metal lingual	Metal Occlusal Including buccal cusp	No Metal Showing			
		7 8 9 10 11 12 12 13 3 14 2 15			
Shade		RIGHT LEFT			
If Insufficient Room: Reduce & Mark Prep Reduce & Mark Opposi Reduction Coping Call Me		32 LOWER 17 18 18 19 20 20 21 21 22 22 21 21 22 22 21 21 22 22 21 21			
Dr. Signature	Licer	nse #			

REMOVABLE RESTORATIONS (Please ☑)			
anturas	Metal Partials	Acrylic Partials	

Dentures	Metal Partials	Acrylic Partials
Custom Tray Base Plate/Wax Rim Combo Tray w/ Wax Rim Economy Denture Premium Denture	Standard Partial Deluxe Partial (Vitallium 2000) Frame with Valplast Clasps Frame Try-In Wax Try-In with Teeth Bite Block	☐ Acrylic Partial Flipper ☐ Acrylic Partial w/ Clasp ☐ Unilateral (NESBIT) ☐ Metal / Acrylic
☐ Transitional Denture	☐ Finish	
☐ Immediate Denture	Flexible Partials	Shade
Denture Set-Up Denture Finish Repairs / Relines	□ Valplast ™ □ Unilateral Valplast ™ □ Clear Frame □ Set-Up	Acrylic Flexible Standard Pink Light Pink Meharry Meharry
Relines	Specialty Products Hard Clear Nightguard Hard / Soft Nightguard Bleaching Tray Vacuum Nightguard	Tooth Shade Tooth Mold Tooth Make

 $P_{\!\!X}$ specific instructions :